

December 17, 2009 1:08:16 PM

Item ID:

D212-664-101TRN

Accept



Setup Start



Revision ID:

Item Name:

Crosstube Turning Detail

Start Date:

17/12/2009

Start Oty: 1.00

Reg'd Oty: 1.00



Cust Item ID:

Customer:

Reference:

Approvals:

Process Plan:

Description

Date 0912-17 Tooling:

Date:

Date: Date: Run

Start

Stop

Stop

QC:

Required Date: 31/12/2009

Operation

Set Up/ **Run Hours**

SPC (Y/N):

Draw Number .

Draw Rev.

Plan Accept Code **Qty**

Reject Qty

Reject Number

Stamp

Work Center ID Draw Nbr

Sequence ID/

Revision Nbr

D212-664-141

Rev D

100

Mori Seiki

MORI SEIKI CNC LATHE LÄRGE

Memo

Memo

0.00

0.00

Mori Seiki CNC Lathe Large

1-Fill tube with sand & install plugs DT8534 on both ends as per Folio FA113

2-Turn first side as per Folio FA113

3-File down transition lines smooth.

110

OC

Quality Control

QC1- Inspect dimensions to dimension sheet

0.00

0.00

10 - 01 -23 ()

120

Mori Seiki

Mori Seiki CNC Lathe Large

MORI SEIKI CNC LATHE LARGE

Memo

0.00

0.00

1-Turn second side as per Folio FA113

2-File down transition lines smooth.

3-Remove sand and plugs

a.n 10 -01-23 (8

W/O:			WORK ORDER CHANGES							
DATE STEP		PF	OCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector		
					·					
		- L. A.								
Part No	:	PAR #:	Fault Category:	NCR: Ye	s No DQ	A :	Date: _			
	Resolut	ion:	Disposition:	QA: N/C	Closed:		Date: _	 .		

NCR:		WORK ORDER NON-CONFORMANCE (NCR)									
		Description of NC		Corrective Action Section B							
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Verification Section C	Approval Chief Eng	Approval QC Inspector			
							•				
								·			
-						1					
NOTE: D	ate & initial al	Lentrice						<u> </u>			

Work Order ID 54731

December 17, 2009 1:08:16 PM

Item ID:

D212-664-101TRN

Accept



Setup Start



Revision ID:

... - _____

Item Name:

Crosstube Turning Detail

Start Date:

Required Date: 31/12/2009

17/12/2009

Start Qty: 1.00 Reg'd Qty: 1.00

Date:

Cust Item ID:

Customer:

Draw

Number

Reference:

Date:

Tooling:

Date:

Start

Stop



Approvals:

Process Plan:

QC:

SPC (Y/N):

Stop

an10 -01 -23 0

Sequence ID/ Work Center ID

130

QC

Quality Control

Operation Description

OC1- Inspect dimensions to dimension sheet

Memo

Set Up/ **Run Hours**

0.00

0.00

Date:

Draw

Rev.

Plan Code

Accept Qty

Reject Qty

Run

Reject Number Stamp

Insp.

140

Quality Control

QC8- Inspect parts - second check

Memo

0.00

0.00

150

HandFXtube

Hand Finishing Crosstubes

Crosstubes Chemical Conversion

Memo

0.00

0.00

W/O:			WORK ORDER CHANGES							
DATE	STEP	PROCEDURE CHANGE		В	y Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector		
					<u> </u>]		
Part No):	PAR #:	Fault Category:	NCR:	Yes No D	QA:	Date: _	· · · · · · · · · · · · · · · · · · ·		
	Resolution	າ:	Disposition:	QA: N	C Closed: _		Date: _			

NCR:		WORK ORDER NON-CONFORMANCE (NCR)									
		Description of NC		Corrective Action Section B	Verification	Approval	Ι				
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector			
						· ·					
		· · · · · · · · · · · · · · · · · · ·									

Work Order ID 54731



Page 3

December 17, 2009 1:08:16 PM

Item ID:

D212-664-101TRN

Accept

Setup Start

Run

Stop



Revision ID:

Item Name:

Crosstube Turning Detail

Start Date:

17/12/2009

Start Qty: 1.00

Reg'd Qty: 1.00



Cust Item ID:

Customer:

Reference:

Process Plan:

Date:

Tooling:

Date:

Start

Approvals:

Required Date: 31/12/2009

Date:

SPC (Y/N):

Set Up/

Run Hours

Date:

Stop

Sequence ID/ **Work Center ID**

160

OC Quality Control Operation Description

QC3- Inspect Part Finish

Memo

0.00

0.00

0.00

0.00

Draw Number

Draw Rev.

Plan Code

Accept Qty

Reject Qty

Reject Insp. Number Stamp

10-1-26

170

Packaging Packaging

Packaging

Memo

Memo

Identify and Stock in kanban rack Location: X-tuke Cel

180

Quality Control

QC21- Final Inspection - Work Order Release

0.00

0.00

10/01/210/d MF 10-1-26

W/O:		M. F	W	ORK ORDER CHANG	SES		, , , ,			
DATE	STEP	PRO	OCEDURE CHA	NGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
Part No	:	PAR #:	Fault Cate	gory:	NCR	Yes N	lo DQ	\ :	_ Date: _	
	R	esolution:	Dispositio	n:	QA:	WC Clo	sed:		Date: _	
NCR:			WORK ORD	ER NON-CONFORM	ANCE	(NCR)				
DATE	CTED	Description of NC	intion of NC Corrective Action				Verific	ation	Approval	Approval
DATE	STEP	Section A		Chief Eng	QC Inspector					
							:			
							÷			
				·						

Picklist Print

December 17, 2009 1:08:21 PM

Work Order ID: 54731

Parent Item:

D212-664-101TRN

Parent Item Name:

Crosstube Turning Detail

Comments:

IPP RevC: as per ECN09-696 09.11.20 DD verified by:EC



Start Date: 17/12/2009

Required Date: 31/12/2009

Start Qty: 1.00

Required Qty: 1.00

Component Item ID/ Item Name

Replacement Mfg/ Item ID

Purch

Bin . Primary Item Location Last Location

Route Seq ID

Unit of Measure Hand

Oty on

Remsning Qty Qty To Pick Issued Date Issued

Status

Page 1

Manufactured

Each

2.0000

1.0000

D6005-128

No

120

an 10-01-230

Crosstube Material

Location

Loc Qty

Loc Code

Main Warehouse

LG

Warehouse

34686

38337

B 53953

W/O:		WORK ORDER CH					
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
Part No	o:	PAR #: Fault Category:	NCR: Yes	No DQ	A:	Date:	

Part No:	PAR #: Fault Category:	NCR: Yes No DQA:	_ Date:
Resolution:	Disposition:	QA: N/C Closed:	Date:

NCR:		WORK ORDER NON-CONFORMANCE (NCR)									
		Description of NC		Corrective Action Section B	Verification	Approval	Approval				
DATE	STEP	Section A		Section C	Chief Eng	QC Inspector					
			1								
1											

DART AEROSPACE LTD	Work Order:	54131
Description: Crosstube Assembly (205/212/412 High Fwd)	Part Number:	D212-664-141
Inspection Dwg: D212-664-141 Rev:		Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

	spection Sheet wing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
	0.200	+/-0.010	0.200	/			
Ī	R0.063	+/-0.010	RO .063	/			
	2.740	+0.005/-0.000	2.740	/			
	5.097	+/-0.030	5.097	1			
	2.304	+0.005/-0.000	2.307				
_ [2.340	+0.005/-0.000	2.343				
EA	2.398	+0.005/-0.000	2.403	1			
SIDE	2.448	+0.005/-0.000	2.482				
0,	2.498	+0.005/-0.000	8.501				
	2.549	+0.005/-0.000	2.554				
Ì	2.599	+0.005/-0.000	2.604				
	2.671	+0.005/-0.000	2.675	1,			
[2.701	+0.005/-0.000	2.206				
	0.200	+/-0.010	0.200				
	R0.063	+/-0.010	RO.063	6			
	2.740 👯	+0.005/-0.000	2.740	/,			
	5.097	+/-0.030	S.097	1,			
	2.304	+0.005/-0.000	2.307	1			
	2.340	+0.005/-0.000	2 363				
m	2.398	+0.005/-0.000	2.403				
SIDE	2.448	+0.005/-0.000	2.452				
S	2.498	+0.005/-0.000	2.501	1			
	2.549	+0.005/-0.000	2.554				
	2.599	+0.005/-0.000	2.604	1			
	2.671	+0.005/-0.000	2675	1			
	2.701	+0.005/-0.000	26762.	706			
	126.51	+/-0.020	126.510				

Measured by:	0.00	Audited by:	NA	Prototype Approval:	N/A
Date:	10-01.23	Date:	0-01-2le	Date:	N/A

Rev	Date	Change	Revised by	Approved
Α	05.04.27	New Issue (P/O D412-664-101)	KJ/JLM	
В	06.03.15	Tolerance revised for 5.097 per Dwg Rev update	KJ/JLM	-1
С	07.05.28	Dwg Rev updated	KJ/JLM	

W/O:			W	ORK ORDER CHANG	ES									
DATE	STEP	PRO	OCEDURE CHA	NGE	Ву	Date Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector						
			-7-18-7-18-7-18-7-18-7-18-7-18-7-18-7-1				T Too Iwigi							
Part No:		PAR #:	Fault Cate	egory:	_ NCR: Yes	No DQA:	Date: _							
	R	esolution:	Disposition	on:	_ QA: N/C Clo	osed:	Date: _							
NCR:			WORK ORDER NON-CONFORMANCE (NCR)											
DATE	OTED	Description of NC		Corrective Action Section	ion B	Verification	Approval	Approval						
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	QC Inspector						
						1								
	<u> </u>													
1														



Item	Qty -141	Qty -141B	Part Number	Description
1	Х		D212-664-311	CROSSTUBE ASSEMBLY (205/212/412 HIGH FWD)
2		Х	D212-664-141B	CROSSTUBE ASSEMBLY (214 HIGH FWD)
3	1	1	D6005-128	CROSSTUBE
4	2	2	D2893-1	SUPPORT
5	4	4	D3595-063-450	RUBBER CUSHION
6	4	4	MS21920-25	CLAMP (OR MS21920-26)
7	A/R	A/R	MAGNOBOND 6398	ROCKWELL SPECIFICATION RBO-120-023 ADHESIVE (TEXTRON/BELL SPEC. 299-947-100, TYPE II, CLASS 2 ADHESIVE)

GENERAL NOTES:

8

1) MATERIAL: MANUFACTURED FROM D6005-128 FINISHED LENGTH = 126.514±0.020

2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1

PRIME INSIDE AND OUTSIDE PER DART QSI 005 4.2

PAINT OUTSIDE PER DART QSI 005 4.2

TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

- UNITS: INCHES UNLESS OTHERWISE NOTED. 4)
- BREAK SHARP EDGES: 0.005 TO 0.010 MAX.
- IDENTIFICATION: SCRIBE DART PART NUMBER "D212-664-XXX" AND BATCH NUMBER ON INSIDE OF CUFF USING VIBRATING STYLUS
- WEIGHT: D212-664-141 = 33.6 lbs (PER IIN-D212-664)
 - D212-664-141B = 33.6 lbs (PER IIN-D212-664)
- PART IS SYMMETRIC ABOUT CENTERLINE.
- RUN CUTTER OFF PART. BLEND OUT EDGE LONGITUDINALY, TRANSITION SHOULD BE SMOOTH.
- 10) BEND PROGRESSIVELY WITH A MINIMUM OF 3 PASSES. MAXIMUM TUBE FLATTENING DUE TO BENDING IS 6% BASED ON O.D.
- 11) LIQUID PENETRANT INSPECT OUTSIDE SURFACE OF CROSSTUBE PER QSI 038.
- 12) INSTALL D2893-1 SUPPORT USING 0.03" TO 0.06" THICK LAYER OF MAGNOBOND 6398 TO THE SURFACE OF D2893-1 THAT WILL BE IN CONTACT WITH THE CROSSTUBE PER QSI 015. LET CURE FOR 12 HOURS AFTER INSTALLATION AND PRIOR TO PACKAGING.
- 13) INSTALL MS21920-25 CLAMPS (OR -26) WITH D3595-063-450 RUBBER CUSHIONS TO SECURE THE D2893-1 SUPPORT ON TOP SIDE OF THE CROSSTUBE. ENSURE CLAMPS ARE OPPOSITE OF CROSSTUBE SUPPORT.
- 14) EXTREME CARE MUST BE TAKEN TO PROTECT THE OUTSIDE SURFACE OF THE TUBE. THE OUTSIDE SURFACE MUST BE SMOOTH AND FREE FROM SURFACE DEFECTS SUCH AS SCRATCHES, NICKS, OR DENTS. DEFECTS UP TO 0.005" MAY BE BLENDED OUT LONGITUDINALLY, CIRCUMFERENTIAL GRIND MARKS ARE UNACCEPTABLE.
- 15) TORQUE CLAMPS 80 TO 100 IN-LB. ENSURE AT LEAST 1.5 THREADS SHOWING IN SAFETY AND THAT NUT HAS NOT BOTTOMED-OUT AFTER TORQUING.

SHOP COPY RETURN TO ENGINEERING UNCONTROLLED (*) SUBJECT TO AMENDME WITHOUT NOTICE WORK ORDER NO. 54731 BS 09-12-17


В

D	REORG TO CUR REMOV & B6-3);	ANIZED VIEW RRENT STAND ED REF & ADI RELOCATED TURNING DE	SENERAL NOTES/PART LIST; SOUD REFORMATTED DRAWING ARDS; ADD -1418 (ZN 84-2, D4-2); D TOLERANCES (ZN 84-3, C6-3, C8-3 FLAG #6 PER PAR 08-046 (ZN AS-3); TAIL & UPDATED TOLERANCE TO	RF	09.09.30		
С			SION STRIP; ADD MAGNOBOND VERSE CLAMPS	PH	07.03.08		
В	ADD H SKIDTI	OLES FOR CO UBES	PH 05.02.04				
Α	NEW IS	SSUE	PH	00.12.12			
REV.			DESCRIPTION	BY	DATE		
DESIGN		PH	DART AEROSP	ACE	LTD		
DRAWN		RF	HAWKESBURY, ONTAR	O, CAN	ADA		
CHECK	ED	P	DRAWING NO.		REV. D		
MFG. AF	PR.	17	D212-664-141	SHEET 1 OF 4			
APPROVED 10			TITLE SCALE				
DE APP	R.	_4_	XTUBE ASSY (205/212/412	HI FWI	D) NTS		
DATE	09.0	9.30	COPYRIGHT © 2000 BY DART AEROSPACE LTD THIS DOCUMEN IS INVAILE AND CONTROPTING, AND IS SUPPLIED OF THE EXPRESS CONTROL THAT IT IS NOT TO SEE USED FOR ANY PRINCES ON CORPUS ON COMMUNICATION TO MAY OTHER PRIZED IN WITHOUT				


W/O:

W/O:			WORK ORDER C	HANGES			\	
DATE	STEP	PROCEI	DURE CHANGE	В	/ Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
Part No):	PAR #:	Fault Category:	NCR: \	es No DC	A:	Date: _	
		and the same	Dienositions	O A . N/	O Olasadi		Deter	

NCR:		WORK ORDER NON-CONFORMANCE (NCR)									
		Description of NC		Corrective Action Section E	3	Verification	Approval	Approval QC Inspector			
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng				
· · · · · · · · · · · · · · · · · · ·											
NOTE: 5	ate & initial al			the supplementaries of							




W/O:	•		W	ORK ORDER CHANG	ES						
DATE	STEP	PRO	OCEDURE CHA	NGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector		
				MARKET AND	-	<u> </u>					
Part No	:	PAR #:	Fault Cate	gory:	NCR: Yes No DQA: Date:						
	Res	solution:	Dispositio	n:	_ QA: N/C	Closed:		Date: _			
NCR:			WORK ORD	ER NON-CONFORMA	NCE (NC	R)					
DATE	STEP	Description of NC		Corrective Action Section		Verif	ication	Approval	Approval		
	J.E.	Section A	Initial Chief Eng	Action Description Chief Eng	Sign Dat		tion C	Chief Eng	QC Inspector		
					- - -						
									<u>.</u>		
								{			
						-					
	1								ŀ		



W/O:		WORK ORDER CHANG	iES				
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
47.							
Part No):	PAR #: Fault Category:	NCB: Yes	No DO	Δ.	Date:	

NCR:			WORK ORDER NON-CONFORMANCE (NCR)								
		Description of NC		Corrective Action Section B		Verification	Approval Chief Eng	Approval QC Inspector			
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C					
				•							
											
					1			ŀ			



W/O:			WORK ORDER	CHANGES					
DATE	STEP		PROCEDURE CHANGE	E	Зу	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
					-				
Part No):	PAR	#: Fault Category:	NCR:	Yes	No DQ	4 :	Date: _	
	R	lesolution:	Disposition:	QA: N	VC C	losed:		Date:	

:	WORK ORDER NON-CONFORMANCE (NCR)								
	Description of NC		Corrective Action Section B		Varification	Annroval	Approval QC Inspector		
STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng			
,									
			-						
	STEP	STEP Description of NC	STEP Description of NC Section A Initial	STEP Description of NC Section A Initial Action Description	STEP Description of NC Section A Initial Action Description Sign &	STEP Description of NC Section A Initial Action Description Sign & Verification Section C	STEP Description of NC Section A Initial Action Description Sign & Section C Chief Eng		